

Bibliography

- [1] T. K. Gaylord and M. G. Moharam, "Thin and thick gratings: terminology clarification" *Appl. Opt.*, **20**, 3271 (1981).
- [2] M. G. Moharam and T. K. Gaylord, "Rigorous coupled-wave analysis of planar-grating diffraction" *Opt. Soc. Am.*, **71**, 811 (1981)
- [3] P.S. Drzaic, "Liquid Crystal Dispersions" World Scientific, Singapore, Germany, 1995
- [4] J.W. Doane, N.A. Vaz, B.G. Wu, and S. Žumer, "Field controlled scattering from nematic microdroplets" *Appl. Phys. Lett.*, **48**, 269 (1986).
- [5] J.D. Margerum, A.M. Lackner, E. Ramos, G.W. Smith, N.A. Vaz, J.L. Kohler, and C.R. Allison, "Polymer dispersed liquid crystal film devices, and method of forming the same", U.S. patent 4,938,568 (July 3, 1990).
- [6] J.D. Margerum, A.M. Lackner, E. Ramos, G.W. Smith, N.A. Vaz, J.L. Kohler, and C.R. Allison, "Polymer dispersed liquid crystal film devices", U.S. patent 5,096,282 (March 17, 1992).
- [7] R.L. Sutherland, V.P. Tondiglia, L.V. Natarajan, T.J. Bunning, "Bragg gratings in an acrylate polymer consisting of periodic polymer-dispersed liquid-crystal planes" *Chem. Mater.*, **5**, 1533 (1993).
- [8] R.L. Sutherland, V.P. Tondiglia, L.V. Natarajan, "Electrically switchable volume gratings in polymer-dispersed liquid-crystals" *Appl. Phys. Lett.*, **64**, 1074 (1994).

- [9] R. Caputo, L. De Sio, A. V. Sukhov, A. Veltri, and C. Umeton, “Realization of a new kind of switchable holographic grating made of liquid crystal films separated by slices of polymeric material (POLICRYPS)”, *Opt. Lett.* **29**, 1261 (2004).
- [10] R. Caputo, A.V. Sukhov, N.V. Tabirian, C. Umeton, R.F. Ushakov, “Mass transfer processes induced by inhomogeneous photo-polymerisation in a multicomponent medium” *Chem. Phys.* **271**, 323 (2001).
- [11] A. Veltri, R. Caputo, C. Umeton, A.V. Sukhov, “Model for the photoinduced formation of diffraction gratings in liquid-crystalline composite materials” *Appl. Phys. Lett.* **84**, 3492 (2004).
- [12] D. Gabor, “Holography, 1498-1971,” *Science* **177**, 299-313
- [13] R. Jakubiak, T.J.Bunning, R.A.Vaia, L.V. Natarajan and V.P. Tondiglia, “Electrically switchable one dimensional polymeric resonators from holographic photopolymerization a new approach for zctiv photonic bandgap materials,” *Adv. Mater.* **15**, 241-245 (2003)
- [14] D.E. Lucchetta, L. Criante, O. Francescangeli, and F. Simoni, “Wavelength flipping in laser emission driven by a switchable holographic grating”, *App. Phys. Lett.*, **84**, 837 (2004).
- [15] G. Strangi, V. Barna, R. Caputo, A. de Luca, C. Versace, N. Scaramuzza, C. Umeton, R. Bartolino, “Color Tunable Distributed Feedback Organic Micro-Cavity Laser ”. *Phys. Rev. Lett* **94**, 063903(2005).
- [16] R. Caputo, L. De Sio, A. V. Sukhov, A. Veltri, and C. Umeton, “Observation of two-wave coupling during the formation of POLICRYPS diffraction grating,” *Opt. Lett* **30**, 1840-1842 (2005)
- [17] Inovar Devices, “Fringe Locker,” <http://www.inovar-inc.com/> index.html
- [18] Excalibur Engineering,“FringeLocker,”<http://www.excaliburengineering.com>
- [19] Odhner Holographics, “Fringe Locker,” <http://www.stabilock.com>
- [20] Data Optics, “Fringe control system,” <http://www.dataoptics.com>

- [21] J. Frejlich, L.Cescato, and G.F. Mendes, "Analysis of an active stabilization system for a holographic setup" *Appl. Opt.* **27**, 1967-1976 (1988)
- [22] R. K. Heilmann, P. T. Konkola, C. G. Chen, G. S. Pati, and M. L. Schattenburg, "Digital heterodyne interference fringe control system" *J. Vac. Sci. Technol. B* **19**, 2342-2346 (2001)
- [23] T.Mattinson, R. Greenall, and T. Downs, "Vibration Control feedback R&D at University of British Columbia," in *Proceedings of Nanobeam 2002, the 26th Advanced ICFA Beam Dynamics Workshop on Nanometre Size Colliding Beams*, R. Assmann and F. Zimmermann, eds (CERN Proceedings 2003-001 IPHE Document 2003-007), pp. 81-86
- [24] E. J. Murphy, T. O. Murphy, A. F. Ambrose, R. W. Irvin, B. H. Lee, P. Peng, G. W. Richards, A. Yorinks, "16x16 strictly nonblocking guided-wave optical switching system", *J. Lightwave Technol.* **14 (3)**, pp. 352-358, 1996.
- [25] D. A. Smith, A. d' Alessandro, J. E. Baran, D. J. Fritz, J. Jackel, R. S Chakrawarthy, "Multiwavelength performance of an apodized acousto-optic switch", *J. Lightwave Technol.* **14 (9)**, pp. 2044-2051, 1996
- [26] D. A. Smith, Zhuoyu Bao, "Technology and applications of the integrated acousto-optic filter," Electrotechnical Conference, 1996. MELECON '96., 8th Mediterranean, vol. 1, 100 – 107, 13-16 May 1996.
- [27] E. Tony and S. K. Chaudhuri, "Acousto-optic filters," *IEEE Potentials*, October/November 1994, pp. 19-22.
- [28] Alan W. Snyder. Optical Waveguide Theory. Chapman & Hall, 1983.
- [29] H. Kogelnik, Theodore Tamir (ed.). Guided-Wave Optoelectronics, 2nd ed. (2nd chapter) Springer-Verlag, Berlin, 1990.
- [30] Haruhito Noro and Tsuneyoshi Nakayama. A New Approach to Scalar and Semivector Mode Analysis of Optical Waveguides. *Journal of Lightwave Technology*, vol. 14, no. 6, pp. 1546–1556, June, 1996
- [31] J. D. Jackson. Classical Electrodynamics, 2nd ed. John Wiley & Sons, New York, 1975

- [32] Amnon Yariv and Michiharu Nakamura. Periodic Structures of Integrated Optics. *Journal of Quantum Electronics*, vol. QE-13, no. 4, pp. 233–253, April, 1977.
- [33] J. Zou, F. Zhao, and R. T. Chen, “Two-step K+-Na+ and Ag+-Na+ ion exchanged glass waveguides for C-band applications”, *Applied Optics*, Vol. 41, No. 36, pp. 7620-7626, 2002
- [34] Y. Taira, D. Nakano, H. Numata, A. Nishikai, S. Ono, F. Yamada, M. Suzuki, M. Noguchi, R. Singh, E.G. Colgan, “Low-power LCD using a novel optical system”, *SID 02 Digest*, 1313-1315 (2002); F. Yamada, S. Ono, Y. Taira, “Dual layered very thin flat surface micro prism array directly molded in an LCD cell”, *Eurodisplay 2002*, 339-342 (2002).
- [35] H.J.B. Jagt, H.J. Cornelissen, D.J. Broer, C.W.M. Bastiaansen, “Linearly polarized light emitting backlight”, *J. SID* **10**, 107-112 (2002).
- [36] H.J. Cornelissen, H.P.M. Huck, D.J. Broer, S.J. Picken, C.W.M. Bastiaansen, E. Erdhuisen, N. Maaskant, “Polarized light LCD backlight based on liquid crystalline polymer film: a new manufacturing process”, *SID 04 Digest*, 1178-1181 (2004).
- [37] D.K.G. de Boer, H.J. Cornelissen, “Colour-separating polarised backlight based on surface-relief grating”, *Eurodisplay 2005*, 236-239 (2005).